LAGUNA MADRE WATER DISTRICT

--- SERVICE POLICIES ---

GENERAL RULES AND REGULATIONS

BOARD OF DIRECTORS

SCOTT D FRIEDMAN – CHAIRMAN DR. ADAM LALONDE – VICE CHAIRMAN JASON STARKEY – SECRETARY WILIAM DONAHUE– DIRECTOR DAVE BOUGHTER– DIRECTOR

ADOPTED: January 14, 1987 REVISED: AUGUST 14, 2024

TABLE OF CONTENTS

P		age No.	
Cha	pter 1 - TERMS AND CONDITIONS	3	
1.1	GENERAL	3	
1.2	POLICY DEFINITIONS	3	
1.3	NEW SERVICES	11	
1.4	SERVICE POLICY FOR NEW SERVICE, WATER & SEWER RATES, TAP CONNECTION, METER DEPOSITS, CONNECTION FEES, AND EQUIPMENT FEE SCHEDULE	13	
СНА	PTER 2 – GENERAL SERVICE POLICIES	27	
2.1	GENERAL – WATER AND WASTEWATER POLICIES		
СНА	APTER 3 – WATER SERVICE POLICY	32	
3.1	CLASSES OF WATER SERVICE AVAILABILITY	32	
3.2	WATER DISTRIBUTION SYSTEM CRITERIA	32	
3.3	WATER METER CRITERIA	35	
CHA	APTER 4 – WASTEWATER SERVICE POLICY	37	
4.1	CLASSES OF WASTEWATER SERVICE AVAILABLE	37	
4.2	DISCHARGES, PRE-TREATMENT AND DISCHARGE AUTHORITY	37	
4.3	WASTEWATER COLLECTION SYSTEM CRITERIA	43	
CHA	APTER 5 – OVERSIZING POLICY	47	
5.1	OVERSIZING POLICY	47	
	APPENDIX	48	
Ā	PORTABLE WATER TANK APPLICATION FOR LIQUID WASTEWATER TRANSPORTATION PERI LIQUID WASTE TRIP TICKET	49 MIT 50 55	

CHAPTER 1 – TERMS AND CONDITION

1.1 GENERAL

In order that all customers may receive uniform, efficient and adequate utility service, all customers who have applied for or are receiving water and wastewater service from the Laguna Madre Water District (District) shall be subject to conditions herein.

1.1.1 CALL OUT - For Service Request

Service calls requested by customers not related to Laguna Madre Water District infrastructure will be charged at \$25.00 per call.

1.2 POLICY DEFINITIONS

The following definitions are given for establishing standard interpretations of the terms used in this policy. Except where specific definitions are used within a certain article or section of this policy for the purpose of such section, the following terms, phrases, words, and their derivations shall have the meaning given herein. Words in the plural number include the singular number and words in the singular number include the plural number. The word "shall" be mandatory, and the word "may" be permissive.

- **1.2.1 Abutting Property** Any Property that is immediately adjacent to or contiguous with or that is located immediately across any road, public right-of-way or easements from the subject property.
- **1.2.2 Additional Facilities or Structures** Any additional construction of buildings or real property appurtenances at a specific location that would create or tend to create additional demand for water or wastewater service.
- **1.2.3 Apartment** One (1) or more buildings constructed on a single parcel of property where each building contains at least two (2) living units.
- **1.2.4 Applicant** The person, organization, or corporation who signs an application form requesting water or wastewater services be made available at a specific location and thereby agrees to pay for all such services at the location (also see Customer).
- 1.2.5 **Backflow Preventer** A mechanical device operated by the reduced pressure principal that is installed in conjunction with a water meter to prevent a flow of water from the customer's side of the meter into the District's distribution system under conditions where water pressure on the customer's side of the meter exceeds the pressure in the District's distribution system. The installation and design of this device will be determined by the District.
- **1.2.6 Base System** The District's water transmission or distribution system and wastewater collection or force main system which is in existence at the time an application is made for

an extension of service.

- 1.2.7 **Biochemical Oxygen Demand (BOD)** The amount of oxygen expressed in milligrams per liter necessary to satisfy the oxygen requirements of a sample of wastewater incubated for five (5) days at twenty degrees centigrade and tested in accordance with standard of testing in the latest edition of "Standard Methods" published jointly by the American Public Health Association, the American Water Works Association and the Water Pollution Control Federation.
- **1.2.8 Building** Any structure, either temporary or permanent, and used or built for the shelter or enclosure of persons, animals, vehicles, goods, merchandise, equipment, materials or property of any kind. This definition shall include but is not limited to tents, lunch wagons, dining cars, trailers, mobile homes, sheds, garages, carports, animal kennels, store rooms or vehicles serving in any way the function of a building as described herein.
- **1.2.9 Cameron County -** A county in the State of Texas hereinafter called the "County".
- **1.2.10 Capital Facilities Charge** A charge designed to recover a portion of the capital costs for water transmission mains, wastewater interceptors and major force main, and water and wastewater treatment facilities. This charge is applicable for both the water and wastewater systems.
- 1.2.11 Central Wastewater System The pipes, pumps, tanks, treatment plants, collection mains and other appurtenances either connected directly to or isolated from the Districts' base system which serve two or more lots or which serves any multiple family, commercial, industrial, institutional or other use where the total wastewater flow exceeds two thousand (2,000) gallons per day. All central wastewater systems shall meet the design and construction requirements of the District.
- 1.2.12 Central Water System The water sources, pumps, treatment plants, distribution mains and other appurtenances either connected directly to or isolated from the Districts' base system which serve two or more lots or which serves any multiple family, commercial, industrial, institutional or other use where the total water usage exceeds three thousand (3,000) gallons per day. All central water systems shall meet the design and construction requirements of the District.
- **1.2.13 Chemical Oxygen Demand (COD)** The amount of oxygen expressed in milligrams per liter required for the chemical oxidation of organics in wastewater.
 - **1.2.14 Connection Charges** A general term referring to the specific development charges that must be satisfied in order to receive water and/or wastewater service. Water connection charges include: extension, frontage, meter installations, capital facilities, impact, acreage, water rights, and tapping fees. Wastewater connection charges include: extension, frontage, capital facilities, impact, acreage, service installation, service inspection fees, lift station and tapping fees.

- **1.2.15 Consumer** The person or persons who actually receive and utilize water service at a specific location.
- **1.2.16 Customer** The person, organization, or corporation responsible for payment for all water and wastewater services used at a specific location and further defined as that person, organization or corporation who signed the application requesting that water and/or wastewater services be made available at the specific location and thereby agreeing to pay for all usage of such services occurring at said location (also see Applicant).
- 1.2.17 Customer's Installation All service entrances weather heads, bus ducts, pipes, shut- off valves, fixtures and appliances or apparatus of every kind and nature used in connection with or forming a part of an installation for utilizing water or wastewater service. In general customer's installation are located on the customer's side of the "point" of "delivery" whether such installation is owned outright by the customer or is used by the customer under lease or otherwise.
- **1.2.18 Deposit** The amount of money placed with the District by each customer as security for payment of the water or wastewater bill.
- **1.2.19 Detector Check Valve –** A device which detects leakage or unauthorized use ofwater.
- **1.2.20 Developer** Any person or legal entity engaged in developing or subdividing land to which utility services are to be rendered by the District. Where applicable, any individual or legal entity that applied for the extension of utility services in order to serve a certain property.
- **1.2.21 Development** A subdivision or any other parcel of land which consists of two or more lots. In addition, parcels of land greater than one acre for commercial projects or multiple family dwellings shall be considered as developments.
- **1.2.22 Dwelling** A house, mobile home, apartment or building used primarily for human habitation. The word dwelling shall not include hotels, motels, tourist courts or other accommodations for transients, sororities, rooming houses, business or industrial facilities.
 - (a) **Single Family** A building containing not more than one living unit on one or more lots. Mobile homes not in approved mobile home parks are considered single-family dwellings.
 - (b) **Single Family Attached** Single family dwelling units constructed in such a manner that the units share a common wall and lot line with another unit. Duplexes, triplexes and quadruplets shall be considered single family attached housing units.
 - (c) **Duplex** A single building containing two living units constructed on one or more lots.
 - (d) **Triple** A single building containing three living units constructed on one or more lots.
 - (e) **Quadruplet** A single building containing four living units constructed on one or more lots.

- **(f) Multiple Family** A building in which two or more living units exist. Multiple family units shall be the same as duplexes, triplexes, quadruplets, apartments, condominiums, townhouses, and mobile homes in approved mobile home parks for the purpose of billing monthly service charges.
- **1.2.23 Engineering Estimate** A calculation of the construction cost of a project based on the District's best available current estimate of cost for material and labor plus overhead for engineering, contingency, general and administrative costs.
- **1.2.24 Equivalent Residential Connection (ERC)** The average amount of water or wastewater used by a single-family dwelling.
- **1.2.25 Excess Strength Wastewater** Wastewater containing constituents whose parameters are in excess of those specified for normal strength wastewater.
- **1.2.26 Extension (Water and Wastewater)** A 6 inch or larger water or gravity wastewater line or a larger wastewater force main added to the base system for the purpose of furnishing additional water or wastewater to one (1) or more customers. All extensions shall be located within a public right-of-way or public utility easement.
- 1.2.27 Facility Service Area The Facility Service Area is the total geographical area which a water or wastewater oversized facility or facilities ultimately is capable of servicing, and upon which an acreage charge is imposed. The facility service area shall include the facility service zone and such additional acreage as determined by the Board in accordance with this definition. The size of the facility area is determined by the Board based upon the ultimate capacity of the oversized facility or facilities, regardless of the need for additional oversized extensions.
- 1.2.28 Facility Service Zone The facility service zone is an area of acreage determined by the Board to be directly served by water or wastewater oversized facility or facilities, and upon which an acreage charge is imposed. The area within the zone shall be as determined by the Board based upon geographical boundaries, extension capacity, and such other considerations as may be applicable, i.e., such as need, or lack of need, for additional oversized extensions. The District will advertise any proposed facility service zone in a local newspaper for public interest.
- **1.2.29 Force Main** A wastewater line which carries wastewater under pressure from a lift station.
- **1.2.30 Frontage** The actual width, normally expressed in feet, along an abutting public street right-of-way or easement, but without relation to the front, side or rear of any structure located on the property along which the water or wastewater line(s) is installed or to a lot or parcel of property.
- **1.2.31 Hotel** A building designed to provide accommodations for transients or persons for short time residence, with or without meals. A hotel shall have ten (10) or more sleeping rooms

including the customary accessory facilities. Sleeping rooms shall have no provisions for cooking.

- **1.2.32 Identifiable Internal Water Service Line** A waterline owned and installed by the customer on the customer's side of the point of delivery whose purpose is to provide water service to any additional or new facility or structure.
- **1.2.33 Individual or Person** The word "individual" or "person" includes any group of persons, firms, corporations, associations, organizations, or legal entities.
- **1.2.34 Industrial Wastewater** Solid or liquid wastes from manufacturing or processing plant or other industrial undertaking or wastes discharged from dwellings, restaurants, hotels, grocery stores, or other commercial establishments containing minerals, fats, acids, oils or suspended solids in amounts which exceeds those limits for normal strength wastewater.
- **1.2.35 Industry** Any activity involving the manufacturing or treatment of any commodity includes the assembly, packaging, canning, bottling, or processing of any item. To change any commodity in composition, form, size, shape, texture, or appearance is deemed to be an industrial process.
- **1.2.36 Inspector or Inspection Authority** A person or agency authorized to inspect and approve water and wastewater installations.
- **1.2.37 Interceptor** A large size gravity wastewater line for the transmission of wastewater which has been designed to receive wastewater from two (2) or more collecting wastewater lines.
- **1.2.38** Laguna Madre Water District (LMWD) A Municipal Utility District called the "District".
- **1.2.39 LMWD Board of Directors** A Common term to identify the public utility that is owned by the District and operated by the five (5) elected member policy body known as the "Board".
- **1.2.40 Lift Station** A facility which receives wastewater from gravity wastewater collection line and/or other lift stations and pumps the wastewater under pressure through a force main to another location.
- **1.2.41 Living Unit** A room or rooms comprising the essential elements for a single housekeeping unit. Facilities for the preparation, storage and keeping of food for consumption within the premises shall cause a unit to be constructed as a living unit. Those facilities need not be in private from the living unit, but shall be conveniently accessible to the living area.
- **1.2.42 Lot** A part of a subdivision or any other parcel of land intended as a unit for building development or transfer of ownership or both. Parcels of land less than one acre for commercial projects or multiple family dwelling shall be considered lots.
- **1.2.43 Lot line** The property line, abutting the right-of-way line, or any line defining the exact location and boundary of the lot or property.
- **1.2.44 Meter –** The measuring device owned and installed by the District on a service line for the

purpose of accurately measuring water consumption by a customer.

- **1.2.45 Mobile Home** A detached residential dwelling designed for long term occupancy and intended to be transported after fabrication on streets and highways on its own wheels or on a flatbed or other trailer, and arriving at the site where it is to be occupied as a dwelling complete and ready for occupancy, except for minor and incidental unpacking and assembly operations, location on jacks or permanent foundation, connection to utilities and the like.
- **Mobile Home Park (Approved)** A parcel of property zoned under the provisions of the applicable City or Country zoning regulations whose allowed and recognized use is the business of renting spaces or lots upon which mobile homes are placed and occupied as single-family dwellings and shall include any associated and allowed laundry and recreational and common facilities incidental thereto.
- **Motel** The term "motel" shall include the term "motor hotel", "tourist court" or "transient accommodation" primarily for those persons traveling by automotive vehicles and consisting of two (2) or more units or buildings designed to provide sleeping accommodations and with customary accessory uses.
- **1.2.48 Normal Strength Wastewater** Wastewater with constituents which do not exceed the following limits:

CONSTITUENT	Maximum Concentration mg/L
Total Solids	750
Volatile	525
Fixed	225
Total Suspended Solids	250
Volatile	175
Fixed	75
Total Dissolved Solids	550
Volatile	350
Fixed	200
BOD (5-day)	200
COD (3 ½)	300
Total Nitrogen	65
Organic	25
Free Ammonia	40
Nitrates (No)	0.075
Nitrates (No)	0.0300
Chlorides	300
Alkalinity	150
Fats	30

1.2.49 Off-Site Facilities – Water mains, wastewater lines, force mains, and/or lift stations, (i.e. private Lift Stations,) constructed to connect on-site facilities with the nearest point in the base system at which adequate capacity is available to meet the requirements of the new services.

- **1.2.50 On-Site Facilities** The water mains, services, meters, fire hydrants, wastewater lines, force mains and lift station installed within a residential, commercial, or industrial development. It includes those facilities in peripheral streets and easements constructed wholly or in part for use by that development.
- **1.2.51 Oversized Facilities** A facility such as a water main, a wastewater line, a lift station, a pump station, a treatment plant and related facilities thereto, designated in size and location by the District to exceed the capacity required to serve the immediate project. In the case of mains and lines, unless otherwise determined by the District, oversized facilities shall be only those facilities larger than the following:
 - a. Water mains 8 inches
 - b. Gravity wastewater lines 8 inches
 - c. Force mains 6 inches

1.2.52 Point of Delivery or Connection

- a. Water Service The point where the District's water meter nipple is connected with the pipe of the customer and where water service to the customer begins.
- b. Wastewater service The point where the service lateral crosses the customer's property line.
- **1.2.53 Profile** A graphic summary or analysis of the history of water usage.
- **Rooming House** A residential building used or intended to be used as a place where sleeping or housekeeping accommodations are furnished or provided for pay to transient or permanent guests or tenants in which less than ten (10) and more than three (3) rooms are used for the accommodation of such guests or tenants, but which does not maintain a public dining room or café in the same building, nor in any building in connection therewith.
- **1.2.55 Rooming Unit** A room or rooms used as a place where sleeping or housekeeping accommodations are provided for pay to transient or permanent guests.
- **Subdivision** A division of a lot, tract or parcel of land or water into two (2) or more lots plots, sites or other subdivisions of land or water for the purpose (whether immediate or future) of sale, rent, lease, building developments or other use, and which further includes the term "subdivide" meaning to divide land by conveyance or improvement into lots, blocks, parcels, tracts, or other portions.
- **1.2.57 Trunk Main** A water transmission main or wastewater gravity or pressure line designed to contain excess capacity to serve areas as opposed to serving individual customers or developments.
- **1.2.58 URD** Underground residential distribution system or facilities.
- **1.2.59 Wastewater Line** A pipe which carries wastewater and to which storm, surface and

ground waters are not intentionally admitted.

- **1.2.60 Wastewater Service Lateral** A wastewater connection extending from the collecting wastewater line in the street to a customer's property line to/from the collecting wastewater line in an easement to the easement line.
- **1.2.61 Wastewater System** The entire wastewater utility system that serves the needs of the customer which includes facilities, collection lines, lift stations, force mains and all other related appurtenances incidental thereto.
- **1.2.62 Water and Wastewater Service** Shall include the readiness and ability on the part of the District to furnish water or wastewater service to the customer on demand. Thus, the maintenance of water pressure at the point of delivery or presence of a wastewater service lateral shall constitute the rendering of service, irrespective of whether the customer makes any use thereof.
- **1.2.63 Water System** The entire water utility system that serves the needs of the customer which includes treatment facilities, transmission, distribution, taps, meters, and all other related appurtenances incidental thereto.

1.3 NEW SERVICE

- 1.3.1 Application for New Service It shall be unlawful for any person to use the District's water and wastewater facilities without first making written application to the District for service for a current water meter installation. Applications for new service will be accepted between 8:00 a.m. to 4:00 p.m. Applications received in the morning for services are processed in the afternoon upon payment of all fees applicable for such application. Application received after 12:00 p.m. shall be processed and service provided the following day upon payment of all fees applicable to such application. Such applications shall constitute an agreement by the customer with the District to abide by the rules, regulations, and policies of the District, as well as the Water Conservation Plan/Drought Contingency Plan.
- **1.3.2 Ownership** No person shall be by the payment of or causing any construction of facilities accepted by the District, acquire any interest or right in any of these facilities, or any portion thereof, other than the privilege to have their property connected thereto for water and wastewater service in accordance with these procedures and regulations.
- 1.3.3 Continuity of Service The District shall use reasonable diligence to provide continuous service, and having used reasonable diligence will not be liable to the customer for failure or interruption of service. The District shall not be liable for any act or omission caused directly or indirectly by strikes, labor troubles, accidents, litigations, shut downs for repairs or adjustments, interference by governmental agencies, failure of electric power, acts of God or other causes beyond its control.
- **1.3.4 Indemnity to District** The customer shall not hold the District responsible for any amount directly or indirectly connected with or growing out of the transmission and use of water or the utilization of the wastewater system by the customer at or on the customer's side of the point of delivery or connection.
- 1.3.5 Protection of District's Property It shall be the customer's responsibility to properly protect the District's property on the customer's premises or easements and the customer will permit no one who is not an agent of the District to remove or tamper with the District's property without prior consent. When service lines, meters, or other equipment are damaged by contractors, construction companies, governmental agencies or others, such damage will be repaired by the District and the cost of repair charged to the party or parties causing the damage. In the event of any loss or damage to property of the District caused by or arising out of carelessness, neglect or misuse by the customer or by unauthorized parties, the cost of making good such loss or repairing such damage shall be paid by the customer.
- **1.3.6 Location of District Facilities** The District will provide the location of underground facilities upon request. Customers, contractors, developers or others will be held financially responsible for any damage to the District's facilities.
- **1.3.7 Access to Premises** The duly authorized agent of the District shall have access to the customer's premises for the purpose of installing, maintaining, inspecting or removing the District's property for purposes incidental to, performance under or termination of the

district's service to the customer, and in such performance shall not be liable for trespassing.

- **1.3.8 Obstruction of Meters** Customers and their agents (such as employees, contractors, etc.), are prohibited from placing any obstacles on or about water meters and other equipment which in any way obstructs free access to such facilities.
- **1.3.9 Right-of-Way** The customer shall grant or cause to be granted to the District without cost, all rights, easements, permits and privileges, which in the opinion of the District are necessary for rendering and maintaining service.
- Metering of Adjacent Properties The customer will not build or extend his water or wastewater lines across or under a street, alley, lane, court, avenue or other way in order to furnish service for adjacent property through one meter, even though such adjacent property is owned by the customer, unless written consent is obtained from the District. Consent may be given when such adjacent properties are operated as one integral unit, under the same name, for carrying on parts of the same business. If property is ever sold, then separate meters and taps must be paid and provided.
- 1.3.11 Separately owned properties shall not be supplied with water through one meter.

1.4 SERVICE POLICY FOR NEW SERVICE, WATER & SEWER RATES, TAP CONNECTION, METER DEPOSITS, CONNECTION FEES, AND EQUIPMENT FEE SCHEDULE

1.4.1 Tap Connection for New Service Requirements

- Building Permit
- Customer Name or Business Name
- Mail Address / Physical Address
- Phone #
- Driver's License
- Social Security # or EIN #
- Deposit (Depends on Size of Meter) Deposit Form (Sec 1.4.5)
- Turn-On Fee
- Contract or Deed
- Service Inspection Certification Form
- Email

1.4.2 APPLICATION FOR NEW WATER AND SEWER TAP CONNECTIONS SINGLE FAMILY, TRAILER, COMMERCIAL & BOAT SLIP

Date of application:	Purpose of Build	ling		
Physical Address	Subdivision:			
Lot Block				
	(State property descripti	ion, address & city)		
Name of Applicant:	Pho	one No		
Mailing Address:				
DOCUMENTS I	REQUIRED: (1) Building Permit or Plans	s (2) Plumbers Permit		
	DEPOSIT: One Time Fee	\$		
	TURN ON FEE	\$		
	INSPECTION FEE	\$		
	WATER TAP"	\$		
	SEWER TAP"	\$		
	UPGRADE FEES	\$		
	GRAND TOTAL:	\$		
OR SEWER TAP WILL NOT B	R MUST INSTALL A COMPLETE SEWER SYSTEM IN E INSTALLED. ** THE CORRECT BACKFLOW ASSEMBLY.	NCLUDING A CLEAN OUT AT THE PROPERTY LINE		
** 3. CONSTRUCTION OF TEMPORA	ARY WATER SPIGOT WITH HOSE BIB VACUUM BE	REAK IS TO BE INSTALLED AT A MINIMUM OF 10FT		
FROM THE WATER METER.				
** 4. WHEN TWO (2) OR MORE ME	TERS INSTALLED, THEY WILL BE LEFT <u>LOCKED</u> , LN	MWD WILL CONNECT AT PLUMBERS		
REQUEST. X				
	TO CHANGE WITHOUT NOTICE. IF ANY BORING BY THE CONTRACTOR OR OWNER. ANY ADDITION ALSO BE CHARGED.	ANY WATER LINE UPSIZING IS REQUIRED, ANY WAL COSTS AS STATED IN THE SERVICE POLICY, WILL		
Above Estimate Received by:	Title:	Date:		
WORK ORDER: WATER TAP #	# IRR TAP #	SEWER TAP #		
Receipt #		lication No.:		
Checked By:	By: ***********************************	CSR		
WATER SERVICE: IS A	VAILABLE IS NOT AVAILABLE – APPRO	OVED BY: DATE:		
WASIEWAIEK SEKVICE: IS	AVAILABLE IS NOT AVAILABLE - APPR	NOVED BY: DATE:		

SERVICE INSPECTION CERTIFICATION

NAME OF PWS: <u>LAGUNA MADRE WATER DISTR</u> PWS ID#: <u>0310005</u> LOCATION OF SERVICE:	RICT_
NOTICE	TO HOMEOWNERS AND PLUMBERS
of Texas must comply with the rules and regular concerning the construction and renovation of This utility has adopted SOUTHERN STANDARI modification standards, particularly regarding	ifies all plumbers and homeowners that all public water systems in the state ations of the <i>TEXAS COMMISSION ON ENVIRONMENTAL</i> QUALITY f and addition and modifications to private water distribution facilities. Description of the prevailing guide for plumbing facility construction and the prohibition of the use of lead solder and fittings and the prohibition of tribution facility. By the execution of this document, the homeowner and
-	ter distribution facilities connected to the aforementioned public water
sources of contamination are isolated fi prevention assembly in accordance wit 2. No cross-connection between the publi gap is not maintained between the publ	c drinking water supply and a private water system exists. Where an actual air lic water supply and the private water supply, an approved reduced pressure-properly installed and a service agreement exists for annual inspection and
 No connection exists which would allow back to the public water supply. No pipe or pipe fitting which contains nor after July 1, 1988. No solder or flux which contains more to the public water supply. 	w the return of the water used for condensing, cooling or industrial processes more than 8.0% lead exists in the private water distribution facilities installed on than 0.2% lead exists in private water distribution facilities installed on or after
determined to be in compliance with <i>TCEQ's</i> repermanent files along with all water distribut foregoing is true and correct and that we are	ed to your private water distribution facility until the above conditions are ules and regulations. This document will be retained as a part of the utility's ion facilities inspection documents. By execution hereof, we certify that the legally responsible for the validity of the information we have provided. We nis private water distribution facility and we, the homeowner and plumber,
Signature of Homeowner or Contractor	Date
Signature of Plumber **	Date
Plumber's Name and License Number (Please	Print)

(Note to Utility: Attach this form to all plumbing inspection forms and records pertaining to this private water distribution facility.) **

No signature from plumber is required, unless a backflow prevention device is needed on the plumbing system.

SERVICE AGREEMENT

I. **PURPOSE** - The Laguna Madre Water District is responsible for protecting the drinking water supply from contamination or pollution, which could result from improper private water distribution system construction or configuration. The purpose of this service agreement is to notify each customer of the restrictions to ensure the public health and welfare. Each customer must sign this agreement before the

Laguna Madre Water District will begin service. In addition, when service to an existing connection has been suspended or terminated, the water system will not re-establish service unless it has a signed copy of this agreement.

- II. **RESTRICTIONS** The following unacceptable practices are prohibited by State regulations.
 - A. No direct connection between the public drinking water supply and a potential source of contamination is permitted. Potential sources of contamination shall be isolated from the public water system by an air-gap or an appropriate backflow prevention device.
 - B. No cross-connection between the public drinking water supply and a private water system is permitted. These potential threats to the public drinking water supply shall be eliminated at the service connection by the installation of an air-gap or a reduced pressure-zone backflow prevention device.
 - C. No connection which allows water to be returned to the public drinking water supply is permitted.
 - D. No pipe or pipe fitting which contains more than 8.0 percent lead may be used for the installation or repair of plumbing at any connection which provides water for human use.
 - E. No solder or flux which contains more than 0.2 percent lead can be used for the installation or repair of plumbing at any connection which provides water for human use.

	A.	The Water System will maintain a copy of this agreement as long as the customer and/or the premise are connected to the Water System.
	B.	The customer shall allow his property to be inspected for possible cross-connections and other potential contamination hazards. These inspections shall be conducted by the Water System or its designated agen prior to initiating new water service; when there is reason to believe that cross-connections or othe potential contamination hazards exist; or after any major changes to the private water distribution facilities. The inspections shall be conducted during the Water System's normal business hours.
	C.	The Water System shall notify the customer in writing of any cross-connection or other potential hazard which has been identified during the initial inspection or the periodic inspection.
	D.	The customer shall immediately remove or adequately isolate any potential cross-connections or othe potential contamination hazards on his/her premises.
	E.	The customer shall, at his/her expense, properly install, test, and maintain any backflow prevention device required by the Water System. Copies of all testing and maintenance records shall be provided to the Water System.
		RCEMENT- If the customer fails to comply with the terms of the Service Agreement; the Water shall, at its option, terminate service or properly install, test, and maintain an appropriate
b	ackflo	ow prevention device at the service connection. Any expenses associated with the enforcement or reement shall be billed to the customer.
	CII	ISTOMER'S SIGNATURE: DATE:

Texas Commission on Environmental Quality

Customer Service Inspection Certificate

Na	Name of PWS:		MADRE WA	TER DISTRICT	Application #:	
PV	VS ID:	030005			Date:	
Lo	cation of Service:					
			Re	ason for Inspection:		
Ne	ew construction					
Ex	isting service where	contaminan	t hazards are	suspected		
М	aterial improvement	, correction	or expansion	of distribution facilities		
_			-	nspection of the private wate		
	to the afore	mentioned p	ublic water s	upply do hereby certify that,	to the best of my knowled	ge
Compliance	Non-Comp	oliance				
		(1)		indirect connection between		
				urce of contamination exists.		
				n the public water system by		ate backflow
			•	assembly in accordance with		
		(2)		nnection between the public		•
			· ·	s. Where an actual air gap is		•
				private water supply, an app		inciple backflow
			•	assembly is properly installed		
		(3)		on exists which would allow		r condensing,
				idustrial processes back to th		
		(4)		ipe fitting which contains mo		
			distribution	facilities installed on or after	r July 1, 1988 and prior t	o January 4,
			2014.			
		(5)	_	stalled on or after January 4,		
				content. If not properly labe		
		(6)		or flux which contains more		n private water
				facilities installed on or after		
				used in the installation of the		facilities:
Service lines	: Lead	Copper		PVC	Other	
Solder:	Lead	Lead Fr	ee 🗌	Solvent Weld	Other	
Remarks:						
l re	ecognize that this do	cument shal	be retained	by the aforementioned Public	Water System for a minim	num of ten ears
	_			, y of the information I have pr	•	
Signature o				License Type:		
	-1					
Inspector				License Number:		
Name (Print	t/Type):					
Title of Insp	ector:			Date/Time of Insp:		
A Cı	ustomer Service Inspec	tion Certificat	e should be on	file for each connection in a pul	olic water system to documen	t compliance with

A Customer Service Inspection Certificate should be on file for each connection in a public water system to document compliance with 30 TAC § 290.44(h)/290.46(j). TCEQ-20699 (Rev. 11-01-17) Page 1 of 1

1.4.3

LAGUNA MADRE WATER DISTRICT 105 PORT ROAD, PORT ISABEL, TEXAS 78578 APPLICATION FOR TAP CONNECTIONS AND FOR METER DEPOSIT

APPLICANT		LOT	BLOCK	ADDITION		
ADDRESS	CITY		STATE_	ZIP_		
TELEPHONE	S/S No	DRI	VER'S LICENSI	Ξ		
Payments are to be mad non-payment. The appliand for sewer services f	es to comply with the Ra e at the District Office w icant will pay for all wat furnished to said premise ntinue services, regardle	vithin 15 days f ter passing fron es, until such ti	rom the date of to the District line me the applican	he bill, and failes to said premi t notifies the D	lure to receive b ises from (date) vistrict in writing	ill will be no excuse for g, or signs a regular
	s will an order be taken e right, without notice to				he following rea	asons:
	ater to a neighbor's pren					nner.
during business hours or Applicants building on the sum of	ed off for any of the above a-\$70.00 charge for reconstine Districts easement a expayment of services further payment of this receipt when vent service from being	nnecting services are responsible a arnished. The D en service has b	for any damage for all repairs. I istrict hereby ac een discontinue	s that may resurce the applicant when we have the knowledges the dand entire bases.	ult there from. vill keep with the at deposit will be the lance on account.	ne District a deposit forDOLLARS se returned without nt has been paid in full.
agreement. Applicant furthe CONNECTION CHA	er agrees to make an addi RGE:	tional deposit if	same is demand	ed by the Distri	ct connection ch	narge:
	erDeposit	Turn-On	Fee]	Insp. Fee	TOTAL	
	of client to leave a valid hin a six (6) month perio					
LMWD Representativ	re Printed Name		Applicant's P	rinted Name		
L.MWD Representative S	Signature		Applicant's Sig	gnature		
 Date			Date			

LAGUNA MADRE WATER DISTRICT HEREBY ADOPTS THE FOLLOWING POLICY REGARDING SEPARATE WATER METER FOR FIRE PROTECTION

I. SEPARATE METER REQUEST

(A) The District may install new and separate water meter for fire protection purposes (water only) upon a District customer's request.

II. REVOCATION OF SEPARATE METER INSTALLATION

A separate meter once installed may be removed and a penalty fee to be calculated by the Finance Director and approved by the General Manager may be imposed if the District determines that, the separate meter is not being used for fire protection purposes only.

III. BILLING RATE

(A) The billing rate for fire protection services shall be as follows:

Minimum of \$ 50.25 a month for up to 10,000 gallons, any amount over 10,001 will be charged at double the standard domestic meter rate.

Exception: (1) Fire;

Other Exceptions such as; Testing, Repairing, or Flushing – require that the District must be notified in writing prior to this exception.

(B) A \$50.00 penalty fee will be assessed for failure to notify the District.

IV. TAP FEE

(A) The District shall charge a new tap fee and shall require a new deposit on separate meter installation.

V. Connection Fee

(A) The fee for initial connection per account shall be \$35.00.

1.4.5

LAGUNA MADRE WATER DISTRICT HEREBY ADOPTS THE FOLLOWING POLICY REGARDING SEPARATE WATER METER FOR IRRIGATION PURPOSES

I. SEPARATE METER REQUEST

(A) The District may install new and separate water meter for irrigation purposes only (water only) upon a District customer's request.

II. REVOCATION OF SEPARATE METER INSTALLATION

1. A separate meter once installed may be removed and a penalty fee to be calculated by the Finance Director and approved by the General Manager may be imposed if the District determines that, the separate meter is not being used for irrigation purposes only.

III. BILLING RATE

(A) Once a separate meter has been installed the District customer shall be billed on the remaining (old) meter at the rate of 100% of water and sewer usage instead of the previous billing format of 100% for water usage and 75% for sewer usage.

IV. TAP FEE

(B) The District shall charge a new tap fee and shall require a new deposit on a separate meter installation.

V. Connection Fee

(A) The fee for initial connection per account shall be \$35.00

1.4.6

WATER AND SEWER RATES November 2023

			* SI RATES	SEWER S	
5/8" METERS					
Min Charges to	3,000	\$	15.76	\$	24.96
3,001	8,000	\$	3.18	\$	5.06
8,001	16,000	\$	5.01	\$	7.84
16,001	Above	\$	7.13	\$	11.12
1" METERS					
Min Charge to	3,000	\$	29.66	\$	40.48
3,001	16,000	\$	3.24	\$	5.06
16,001	30,000	\$	4.87	\$	7.60
30,001	Above	\$	6.83	\$	11.36
2" METERS					
Min Charge to	12,000	\$	142.81	\$	275.35
12,001	80,000	\$	3.38	\$	5.51
80,001	160,000	\$	5.08	\$	8.28
160,001	Above	\$	7.59	\$	11.45
4" METERS					
Min Charge to	40,000	\$	538.30	\$	631.65
40,001	400,000	\$	3.55	\$	5.73
400,001	800,000	\$	5.33	\$	8.58
800,001	Above	\$	7.32	\$	11.69
6" METERS					
Min Charges to	50,000	\$ 1	1,008.10	\$ 1	1,038.66
40,001	500,000	\$	3.34	\$	5.02
400,001	1,000,000	\$	5.02	\$	7.51
800,001	Above	\$	6.75	\$	10.01
8" & 10" METERS					
Min Charges to	50,000	\$ 1	1,008.10	\$ 1	1,553.85
40,001	500,000	\$	3.65	\$	5.43
400,001	1,000,000	\$	5.40	\$	8.20
800,001	Above	\$	7.32	\$	10.93

^{* 75 %} of Water Consumption

1.4.7 3" FIRE HYDRANTS METER RATES

WATER RATES

Min Charge to	12,000	\$ 285.62
12,001	80,000	\$ 3.38
80,001	160,000	\$ 5.08
160,001	Above	\$ 7.59

2", 4", 6" & 10" FIRELINE METERS

Min Charges to 10,000 10,001 will be charged at double the rate on Corresponding meter size (i.e. 2', 4", 6", 8", 10")

\$ 50.25

Exceptions: (1) Fire (2) Testing (3) Repairing

District must be notified in writing concerning any exception.

RAW WATER METERS

Charge per 1000 gallons \$ 1.20

EFFLUENT WATER METERS

2" Per 1000 gallons \$ 0.02 10" \$ 0.48

1.4.8 WATER AND WASTEWATER CONNECTION FEES – EFFECTIVE SEPTEMBER 1, 2024

	if done by	System	Total if done	if done by	System	Total if done
	Owner-		Owner-			
	Contractor/		Contractor/			
	New	develop-ment	New		develop-ment	
Mtr Size	Subdivision	Charge	Subdivision	District	Charge	District
5/8"	\$ 490.00	\$ 170.00	\$ 660.00	\$ 980.00	\$ 170.00	\$ 1,150.00
1"	\$ 540.00	\$ 380.00	\$ 920.00	\$ 1,080.00	\$ 380.00	\$ 1,460.00
2"	\$ 1,241.25	\$ 885.00	\$ 2,126.25	\$ 2,482.50	\$ 885.00	\$ 3,367.50
4"	\$ 3,475.00	\$ 2,600.00	\$ 6,075.00	\$ 6,770.00	\$ 2,600.00	\$ 9,370.00
6"	\$ 3,858.00	\$ 3,750.00	\$ 7,608.00	\$ 7,716.00	\$ 3,750.00	\$ 11,466.00
8"	\$ 8,115.50	\$ 7,951.00	\$ 16,066.50	\$ 16,231.00	\$ 7,951.00	\$ 24,182.00
10"	\$ 10,502.50	\$ 10,338.50	\$ 20,841.00	\$ 21,005.00	\$ 10,338.50	\$ 31,343.50
Wastev	vater Connect	ion Fees - The	following fee	s shall be effe	ctive Septemb	per 1, 2024:
4"	\$ 425.00	\$ 170.00	\$ 595.00	\$ 850.00	\$ 170.00	\$ 1,020.00
6"	\$ 500.00	\$ 400.00	\$ 900.00	\$ 1,000.00	\$ 400.00	\$ 1,400.00
8"	\$ 575.00	\$ 460.00	\$ 1,035.00	\$ 1,150.00	\$ 460.00	\$ 1,610.00
10"	\$ 650.00	\$ 520.00	\$ 1,170.00	\$ 1,300.00	\$ 520.00	\$ 1,820.00
12"	\$ 725.00	\$ 580.00	\$ 1,305.00	\$ 1,450.00	\$ 580.00	\$ 2,030.00
Fire Li	ne Connection	ns Fees - The f	ollowing fees	shall be effec	tive Septembe	er 1, 2024:
6"	\$ 3,858.00	\$ 3,750.00	\$ 7,608.00	\$ 7,716.00	\$ 3,750.00	\$ 11,466.00
8"	\$ 8,115.50	\$ 7,951.00	\$ 16,066.50	\$ 16,231.00	\$ 7,951.00	\$ 24,182.50
10"	\$ 10,502.50	\$ 10,338.50	\$ 20,841.00	\$ 21,005.00	\$ 10,338.50	\$ 31,343.50
_	1 2/2 2 2 2	,	,.	, , , , , , , , , , , , , , , , , , , ,	,	, , , , , , , , ,
	All fees are	suiect to chan	ge without no	tice. If any bo	ring is require	d
		-	vill be paid by	-		-
	arry add		se para sy		3. 3.0	
	DAC		OVED this 14t	h day of Augus	s+ 2024	
	PASS	DED AND APPR	OVED this 14th	i day of Augus	si, 2024	

1.4.9 Refund of Deposit

- (A) The District shall refund the deposit if the customer has paid their bill(s) for Water and Sewer services for (18) eighteen consecutive residential billings or (36) thirty-six consecutive commercial or industrial billings with no delinquent record.
- (B) A customer, business or industrial who had previously been refunded their deposit subsequently becomes a delinquent account holder, the General Manager shall request the said account holder again put up a deposit, which will be subject to (A) above, in amount required at the time.
- (C) Failure of the account holder to make a deposit at the request of the General Manager as required in subsection (B) above, will make that account holder subject to disconnection of services.
- (D) Delinquent account holder for purposes of the deposit policy **only** is defined as a District Customer that has been penalized for late payment at least (2) two prior times.

1.4.10 The Deposit Amount Required

(A) The non-interest-bearing deposit amount equals to the average of three (3) month's billed

METER <u>SIZE</u>	WATER <u>DEPOSIT</u>	SEWER <u>DEPOSIT</u>	TOTAL DEPOSIT
5/8"	\$ 65.00	\$ 60.00	\$ 125.00
1"	\$ 160.00	\$ 140.00	\$ 300.00
2"	\$ 720.00	\$ 620.00	\$ 1,340.00
4"	\$ 1,855.00	\$ 1,695.00	\$ 3,500.00
6", 8", & 10"	\$ 4,300.00	\$ 3,600.00	\$ 7,900.00

- (B) The General Manager of the District shall increase deposit amount as deemed appropriate under certain circumstances when in his discretion the deposit amount is to cover past amount that is not sufficient to protect the District's interest.
- (C) The deposit amount calculated at the average of three (3) months bills shall be recomputed from time to time by the Finance Director and approved by the General Manager of the District whenever it is deemed necessary.

(D) The deposit is hereby waived for a governmental entity seeking temporary water and/ or sewer service. A turn on fee of \$ 35.00 will be assessed to a governmental entity for each request for temporary water and/sewer service.

1.4.11 Disconnection

(A) If a District customer does not pay for water-sewer and becomes delinquent, the District shall promptly disconnect all services to said customer.

1.4.12 Reconnection ("Turn On")

(A) If a District customer desires to have water-sewer services reconnected, said customer must first make prompt payment of his or her delinquent bill plus reconnection penalty as follows:

\$ 35.00 - "Turn-on" fee 8:00 a.m. - 5:00 p.m. \$ 70.00 "Turn-on" fee 5:00 p.m. to 6:00 PM No Reconnection after 6:00

1.4.13 After-Hour Request for Reconnection

- **(A)** If a District customer requests after hour reconnection, the District's night operator shall order reconnection. However, the District customer shall, no later than **10:00 a.m.** the following business day, pay the district his or her delinquent bill and pay any additional penalty fees as provided herein.
- (B) In the event the District customer fails to make timely payment of his or herdelinquent bill and any additional penalty as provided in subsection "A" above, then the District shall immediately disconnect said customer's service.
- (C) If a District customer had been disconnected because of its failure to comply with subsection 1.4.7 "A" as noted above then said customer will be ineligible for reconnection after 6:00 PM on the same business day and further, upon reconnecting during regular business hours said customer must pay a reconnection fee of \$ 70.00 (Seventy dollars).

1.4.14 Equipment Fee Schedule

FEE SCHEDULE BILLING PER HOUR

PROPOSED FEE SCHEDULE:	FEE: (Minimun	one (1) Hour)
------------------------	---------------	-------	---------	---

* BACK-HOE: \$100.00 PER HR. \$100.00 PER HR.

** BOOM TRUCK: \$500.00 PER HR. * DUMP TRUCK: \$100.00 PER HR. * 4" & 6" PUMPS: \$75.00 PER HR. ** VACUUM TRUCK: 1,000.00PER HR. ** JET TRUCK: \$750.00PER HR. ** MINI VACUUM TRUCK: \$300.00 PER HR. * SMALL UNITS: \$35.00PER HR * FORK LIFT: \$ 50.00 PER HR. * VIDEO CAMERA FOR SEWER LINE: \$200.00PER HR.

\$30.00 ADMINISTRATIVE PROCESSING FEE ON ALL INVOICES.

*INCLUDES OPERATOR

** INCLUDES (2) PERSONNEL

** VACUUM TRUCK: To be used only on emergency cases. At the time of Schedule

LMWD will provide customer with a list of commercial Vac

Truck Services.

LMWD EQUIPMENT IS NOT FOR COMMERCIAL RENTAL

CHAPTER 2 – GENERAL SERVICE POLICIES

2.1 GENERAL – WATER AND WASTEWATER POLICIES

2.1.1 Maintenance and Liability – The District shall make a reasonable effort to inspect and keep its facilities in good repair, but assumes no liability for any damage caused by the water or wastewater system that is beyond the control of normal maintenance or that is due to situations not previously reported to the Water Distribution or the Wastewater Collection Departments. These situations shall include but not be limited to damages due to breaking of a pipe, poor quality of water caused by unauthorized or illegal entry of foreign material into the water system, or other incidental reasons.

The District shall not be responsible for the repair and maintenance of house connections to water or wastewater service laterals nor for privately owned lift stations, force main and wastewater lines. The District shall be responsible only for the repair and maintenance of all public water and wastewater lines, lift stations, and force mains in the District's system up to the construction point and shall make a diligent effort to inspect and keep those facilities in good repair.

2.1.2 Non-Guarantee of Water Pressure – The District does not guarantee an uninterrupted supply of water nor does it guarantee continual water at any pressure. The District reserves the right to shut off the water at any time for the purpose of making repairs, extensions, or for other purposes incidental to a public water supply. In doing so, the District shall not be responsible for any damage caused by low pressure or which results from the act of a consumer leaving a faucet open.

The District shall in no case be liable or responsible to any persons whatsoever in case of fire or damage that may result from alleged insufficiency of such fire protection, either from want or pressure or volume, accessibility, or from any other cause. The District reserves the right to shut off any water service where a building has been burned or razed in order to insure the protection of the water system.

2.13 System Specifications - The District reserves the right to specify the size, type, materials, and design of all lines as well as taps, meters, laterals, lift station, and any other incidental components being added to the water distribution or wastewater collection system

The District further reserves the right to remove, test, seal or interfere with any said components for such causes that are detrimental to the water or wastewater systems or deemed necessary by the District.

2.14 Limitations of Use – Water or wastewater service purchased from the District shall be used by the customer only for the purpose specified in the application for service, and the customer shall not sell or otherwise dispose of such service to other parties without the authorization by formal agreement with the District.

- **2.1.5 Inspection of Customer's Installation** All Customer's installation of or changes to piping, equipment and devices in connection with water or wastewater services shall undergo inspection by LMWD's personnel to ensure compliance with TCEQ and LMWD standards. In the event such installations or changes fail inspection water or wastewater service shall not be provided until the installation and/or changes pass inspection. An inspection fee of \$75.00 will be assessed.
- 2.1.6 Type and Maintenance of Equipment The customer's water or wastewater lines and equipment shall be selected, installed, used and maintained in accordance with all policies herein, as well as all laws and governmental regulations applicable thereto. The customer expressly agrees to abstain from utilizing any appliance or device which may adversely affect the service, and the District reserves the right to withhold or to discontinue service whenever any such adverse apparatus is used or any deviation of this policy is maintained.
- **2.1.7 Change of Customer's Installation** No alterations or increases in the customer's installation, which will materially affect the proper operation of lines, mains, or stations of the District shall be made without the written consent of the District. The customer will be liable for any damage resulting from violations of this policy.
- **2.18 Connections to Water System** No person shall tap or make unauthorized connections to the District's water system. This includes the opening or closing the meter service valves, turning on hydrants, or causing of any water not legally paid for, to flow from the system. The following penalties shall apply to any person and/or entity found to be in violation of this policy:

(This section was approved by resolution on 08-23-1995 and on 02-28-2007)

- (1) First Violation:
 - (a) Party will be charged for water misappropriated. In this regard, the District reserves the right to estimate the amount of water misappropriated, if necessary; and
 - (b) Party will be assessed a \$300.00 penalty; and
 - (c) Party will be charged the regular tap fee as required by the District's policy.
- (2) Second Violation:
 - (a) Party's violation will be referred to prosecuting authorities for handling. As part of any disposition of a criminal complaint against an offending party, the District will require;
 - (i) Restitution for amount of water misappropriated; and
 - (ii) \$600.00 penalty; and
 - (iii) Assessment for regular tap fee as per District's property.
- **2.1.9 Connections to Wastewater System** No unauthorized person shall tamper with, work on, uncover, make connection with, or in any way alter or damage any part of the District's wastewater system. Furthermore, no unauthorized person shall cause storm

water, ground water, or any other unauthorized water or material to enter the wastewater system, including waste from septic tank trucks. This includes the tapping of downspouts or air conditioning condensate lines into the wastewater system, raising of manhole lids to allow for drainage, the dumping of garbage, refuse or other wastes in manholes, the draining of swimming pools into the wastewater collection lines or not legally paid for as wastewater, to enter the wastewater system. The following penalties shall apply to any person and/or entity found to be in violation of this policy:

(This section was approved by resolution on 08-23-1995)

(1) First Violation:

- (a) Party will be charged for water misappropriated. In this regard, the District reserves the right to estimate the amount of water misappropriated, if necessary: and
- (b) Party will be assessed a \$300.00 penalty: and
- (c) Party will be charged the regular tap fee as required by the District's policy.

(2) Second Violation:

- (a) Party's violation will be referred to prosecuting authorities for handling. As part of any disposition of a criminal complaint against an offending party, the District will require:
 - (i) Restitution for amount of water misappropriated; and
 - (ii) \$600.00 penalty; and
 - (iii) Assessment for regular tap fee as per District policy.
- **2.1.10 Interconnection to Private Water System** No person shall interconnect a privately-owned water system to the District's water system without proper written permission of the District.
- **2.1.11** Interconnection of Individually Metered Services No person shall interconnect two (2) or more individually metered water services within private or public property without prior approval of the General Manager or his designee.
- **2.1.12 Modifications to the System** In the event that existing waterlines, fire hydrants, gravity wastewater lines, manholes, force mains, lift stations, etc., are in conflict with any proposed development, or adequately meet the requirements of the proposed development, the developer or contractor is to advise of the conflict, in writing and request system modifications or improvements. The developer or contractor shall pay all costs to the District for labor, material, equipment, overhead, and all other related charges associated with said modifications or improvements.

(Resolution on this section was approved August 11, 2004)

2.1.13 Wastewater Lateral Maintenance – The customer shall be responsible for keeping the wastewater lateral free of all obstruction from his premises to the main

wastewater collection line within a public right-of-way or easement. The customer shall be responsible for removing any obstruction (stoppages) that occur within the wastewater lateral. The District will be responsible for keeping all main wastewater collection lines within a public right-of-way or easement free of obstruction.

- **2.1.14 Limitations of Payment** All connection charges paid to the District for service to a particular location are subject to increase when new rates have been established by the District subsequent to the payment of such charges and where no requests to the payment of such charges and where no requests to begin construction has been made within three (3) months of the payment of the connection charges or where the District is unable to begin construction due to an inadequately prepared site.
- 2.1.15 Miscellaneous Charges Miscellaneous charges shall be made for any work done by the District beyond normal maintenance or extensions. This work, which will include such items as moving connection, moving meters, relocating manholes, or any other work done at the property owner's request for the benefit of the property owner, shall be charged for at direct cost plus overhead. Payment in full for the estimated cost will be required prior to doing this type of work with appropriate refund, if any, when the work is completed.

2.1.16 Bill Adjustments

- (a) No allowance or adjustment to the water bill will be made for leaks of any nature, to include filling-up a pool, occurring on the customer's point of delivery.

 A one (1) time exception for wastewater adjustment per year is allowed for water leaks occurring on the customer's point of delivery if the customer provides proof of occurrence and proof of repair. The adjustment can be made by the Customer Service Manager and approved by the Finance Director.
- (b) In the event any water meter fails to register due to damage or malfunction, the customer shall be billed for water and wastewater service on the basis of previous water consumption for comparable months.
- (c) Notification to the District of any malfunction of a meter break in service line of whatever nature must be made within 30 days of the occurrence. No allowance shall be made exceeding one month's service. If relief is given on wastewater charges it shall not exceed the normal charges.

2.1.17 Temporary Water Service

- **a.)** At the option of the District, temporary water service may be rendered by installing a meter on an existing fire hydrant. Service may be rendered in this manner upon written application.
- **b.)** Customer/Contractor must request Fire Hydrant permit from the city or town

within the Laguna Madre Water District (LMWD) service area.

- c.) Customer/Contractor must comply with backflow protection requirements for all water hauling equipment and or potable water tanks as listed in Attachment A. Questions regarding backflow requirements should be referred to (956) 943-2626 EXT 320.
- **d.)** Water Service will be available within the next business day after proper notification has been made to the city /town of a meter being installed at their respective Fire Hydrant.
- **e.)** A deposit of \$1,000.00 and a \$35.00 turn on fee is required at the time of the application for the use of the meter. The deposit will be refunded upon the return of meter and bill paid in full. Water used through such a temporary meter shall be paid for at the prevailing general water service rate. This type of temporary connection shall be allowed for a maximum period of 60 days at a specific location or as arranged with the District.
- **f.)** If a fire hydrant backflow assembly is required LMWD can provide one at a usage fee of \$100.00 and will require a \$500.00 deposit.
- **g.)** Customer/Contractor cannot use any other meter except LMWD meter and has to contact LMWD customer service office to use meter in another location or when disconnecting for discontinuation of service.
- **h.)** The deposit and water usage fee for the city, county, and/or state for community events may be waived at the discretion of the General Manager with prior written consent.

CHAPTER 3 – WATER SERVICE POLICY

3.1 CLASSES OF WATER SERVICE AVAILABILITY

- **3.1.1 General Water Service** This service covers the normal use of water in faucets, sinks, baths, urinals, toilets, water heaters, boilers, air conditioners, refrigerators, and other similar fixtures or apparatus in residences, apartments, motels, stores, offices and industrial buildings.
- **Temporary Water Service** This service is available for a 60-day period of time upon application only, for construction work, circuses, fairs exhibitions, displays, lunch carts, camps and other temporary facilities or needs. (Reference. to 2.1.17)

3.2 WATER DISTRIBUTION SYSTEM CRITERIA

3.2.1 System Service Area – The District will extend, under policies contained herein, its water distribution system for the purposes of providing water service to areas that are inside the District limits.

3.2.2 Extension Policy

A. Single Family - Existing

- 1. The entire cost of the off-site water main extension to a single-family unit shall be paid by the customer or developer.
- 2. The cost of any oversize, as determined by the District Engineer, shall be paid by the District.
- 3. The customer or developer will be responsible for the full cost of borings or trestle pipe crossings, if such are required in extending the water line.
- 4. The District's General Manager shall have the right to determine whether the off-site water main extension is (a) designed and constructed by the District, or (b) designed by the customer's or developer's independent engineer, subject to having the design approved by the District, and constructed by the customer's or developer's independent contractor, subject to having the work of the contractor inspected and approved by the District.
- 5. If the District's General Manager elects to have the District design and construct the off-site water main extension, the customer or developer shall pay this cost to District at such time as payment is requested by the District.
- 6. The customer or developer shall pay all applicable meter and connection charges.

B. Multifamily - Apartments, Multifamily Dwellings and Motels

- 1. The entire cost of the off-site water main extension (including oversizing, but subject to the oversizing policy as stated in Chapter 5) to apartments, multifamily dwellings, and motel units shall be paid by the developer.
- 2. The oversizing of any water main shall be approved by the District Engineer.
- 3. The customer or developer will be responsible for the full of borings or trestle pipe crossings, if such are required in extending the water line.
- 4. The District's General Manager shall have the right to determine whether the off-site water main extension is (a) designed and constructed by the District, or (b) designed by the developer's independent engineer, subject to having the design approved by the District, and constructed by the developer or developer's independent insured and bonded contractor, subject to having the work of the contractor inspected and approved by the District.
- 5. If the District's General Manager elects to have the District design and construct the off-site water main extension, the developer shall pay this cost to the District at such time as payment is requested by the District.
- 6. All borings and crossings must be constructed or installed prior to street construction. The Developer may install meters in lieu of the tap fee (water).
- 7. The developer shall pay all applicable meter and connection charges.

C. Single Family Subdivisions

- 1. All mains inside the subdivision are the responsibility of the Developer.
- 2. The entire cost of the off-site water main extension (including oversizing, but subject to the oversizing policy as stated in chapter 5) to the subdivision shall be paid by the developer.
- 3. The oversizing of any water main shall be determined by the District

Engineer.

- 4. The customer or developer will be responsible for the full cost of borings or trestle pipe crossings, if such are required in extending the water line.
- 5. The District's General Manager shall have the right to determine whether the off-site water main extension is (a) designed and constructed by the District, or (b) designed by the developer's independent engineer, subject to having the design approved by the District, and constructed by the developer's independent contractor, subject to having the work of the contractor inspected and approved by the District.
- 6. If the District's General Manager elects to have the District design and construct the off-site water main extension, the developer shall pay the cost to the District such time as payment is requested by the District.
- 7. All borings and crossings must be constructed or installed prior to street construction. The developer may install meters in lieu of the tap fee (water).
- 8. The developer shall pay all applicable meter and connection charges.

D. Industrial and Commercial Customers or Developers

- 1. The entire cost of the off-site water main extension (including oversizing, but subject to the oversizing policy as stated in chapter 5) to industrial and commercial customers or developers shall be paid by the customer or developer.
- 2. The oversizing of any water main shall be determined by the District Engineer.
- 3. The customer or developer will be responsible for the full cost of borings or trestle pipe crossings, if such are required in extending the water line.
- 4. The District's General Manager shall have the right to determine whether the off-site water main extension is (a) designed and constructed by the District, or (b) designed by the customer's or developer's independent engineer, subject to having the design approved by the District, and

constructed by the customer's or developer's independent insured and bonded contractor, subject to having the work of the contractor inspected and approved by the District.

- 5. If the District's General Manager elects to have the District design and construct the off-site water main extension, the customer or developer shall pay this cost to the District at such time as payment is requested by the District.
- 6. All borings and crossings must be constructed or installed prior to street construction. The developer may install meters in lieu of the tap fee (water).
- 7. The developer shall pay all applicable meter and connection charges.

3.3 WATER METER CRITERIA

- **3.3.1 Water Meter Sizing** The customer or customer's developer's independent contractor shall have the responsibility to specify the correct water meter size for the facility. At no time will the District be responsible for the sizing of water meters.
- **3.3.2 Water Meter Location** Water meters 2" and smaller in size, will be located approximately three (3) feet to either side of a common lot line, on the public right-of-way or easement line or as otherwise approved by the Laguna Madre Water District. Water meters 2" and larger in size and meter vaults shall be located in a non-traffic area within private property in the near vicinity of the public right-of-way. Such location shall be agreeable to the applicant and the Water District.

Meter vaults 2" and larger in size will be constructed and maintained by the customer, in the event the meter vault is not maintained or requires repairs the District will notify the customer.

If a meter and vault are in a traffic area both will be provided and maintained by the customer, vault will be required to be traffic rated.

Landscaping will be restricted to maintain access to meter. In the event landscaping obstructs access to the meter it will be removed without being restored.

Meter Installation Time Limit – The District shall install a two (2) inch or small water meter within ten to thirty (10 – 30) working days after payment of the water meter installation fee and all required documentation. The Customer shall be notified when some unforeseen delay is encountered that will prohibit the meter installation within the required specified days.

3.3.4 Changing Meter Sizes

- **A. Increase in Size** A customer desiring a water meter larger than the size of the meter in service, shall pay to the District the material and installation charges of the larger meter.
- **B. Reduction in Size** A customer desiring a meter smaller than the size of the meter in service, shall pay the costs of the new meter and labor.
- 3.3.5 Individual or Master Meters A single water meter will normally be provided for residential buildings, apartments, approved mobile home parks, professional or commercial buildings, located on property abutting a public right-of-way or easement. Owners of multiple-family complexes, approved mobile home parks, and professional or commercial buildings or complexes have the option of installing a master meter or individually metering each multiple family dwelling unit, mobile home lot, building, office, store or group of buildings.
- **Testing Water Meter** Upon Customer's written request, the District will test the customer's water meter. In the event the water meter so tested is found to be within the accuracy limits set out below, the customer will be responsible for payment of an inspection fee of \$35.00 for 5/8" --1" size meter and \$60.00 for a 2" and above size meter. In the event the tested meter is found to be outside the accuracy limits set out below, no testing fee shall be assessed and the customer shall be entitled to a bill adjustment upon request. In no event will a bill adjustment be made for a period to exceed three (3) months. The applicable accuracy limits for testing are the following:

ACCURACY LIMITS IN PERCENT

Meter Type Single Set Displacement	Maximum Flow Rate 98.5 – 101.5	Intermediate Flow Rate 98.5 – 101.5	Minimum Flow Rate	
			New 95-101.5	Repaired 90-101.5
Fire Flow*	97 - 103	97 - 103	95-102	90-103

^{**} The minimum required accuracy for compound meters at any rate within the "changeover range of flow shall be 90 percent for compound meter and 85 percent for fire flow meters.

CHAPTER 4 - WASTEWATER SERVICE POLICY

4.1 CLASSES OF WASTEWATER SERVICE AVAILABLE

- **4.1.1 Residential and Commercial Wastewater Service** This service covers wastewater discharges from the use of water in faucets sinks, baths, toilets, urinals, and other similar fixtures or apparatus producing normal strength wastewater in residential and commercial establishments.
- **4.1.2 Industrial Wastewater Service** This service covers wastewater discharges that constitute a special problem either because of strength, quantity or nature of the wastewater.
- **4.1.3 Septic Tanks and Other Wastewater Service** This service covers the discharge into the wastewater treatment system of septic tank and portable toilet wastes. The district must authorize the time, place, and manner in which these wastes may be added to the LMWD Wastewater system.
- **4.1.4** "Application for Liquid Waste Transportation Permit." -- Any liquid waste transporter must obtain permission by filling out a liquid waste permit. (Attachment B)

And subsequently provide a Transporter Ticket for discharging waste into LMWD's wastewater system. If Transporter does not have a discharge ticket LMWD will provide a "Liquid Waste Trip Ticket" at a minimal cost. (See Attachment C)

4.2 DISCHARGES, PRE-TREATMENT AND DISCHARGE AUTHORITY

42.1 Type of Wastewater Unacceptable – The District reserves the right to require flow equalizing devices, grease, oil, or sand interceptors, or pre-treatment and to specify the degree of pre-treatment of any wastewater before it is emptied into the wastewater lines of the District. These devices shall not be necessary for normal domestic wastewater, but will be required for any waste that because of its toxic nature, high BOD or COD, high oil or fat content, septicity, bulk or any other factor, may be harmful to equipment, wastewater treatment processes, or may cause nuisance, odor or stoppage problems in the wastewater system. Under no conditions will the District consider accepting wastewater that is detrimental to the facilities, hazardous because of explosive liquid or gases, or which may cause stoppages. Any customer found allowing any of the above listed types of wastewaters to enter the system will be subject to paying all costs necessary to stop such flow and remove the objectionable item from the system, and repair it, if necessary, as well as pay all penalties as may be provided.

Specific Discharges

A. Industrial Wastes – Industrial wastes shall not be discharged into the wastewater system without written permission of the General Manager or his designee.

- **Grease** Wastewater containing large amounts of Fats, Oils, and Grease (FOG) shall not be discharged into the wastewater system unless an efficient grease trap is utilized and maintained. Wastewater from restaurants or places where a large amount of cooking is done shall be presumed to contain large amounts of grease and grease traps shall be required at all such locations. When an owner or operator cleans grease traps, the only approved location for disposal of grease shall be a sanitary landfill. Grease traps shall only be cleaned by licensed septic tank cleaners except as noted above. The use of chemicals to dissolve the grease is not permitted in the wastewater collection system. The owner or operator shall have the grease traps cleaned at least every 30 days or more often if necessary. In the event grease accumulates in the wastewater collection lines the owner or operator will be billed for cleaning collection lines and for any other expenses incurred by the District.
- C. Oil and Gasoline - Wastes containing oil and gasoline shall not be discharged into the wastewater system.
- Private Wells Where private wells are used, disposal into the wastewater D. system shall be done only by special agreement with the District.
- E. Storm Water, Air Conditioners and Similar Wastes - No storm water drains, air conditioners, condenser water, swimming pool water, or other similar type wastes shall be discharged into the wastewater system except by special agreement with the District.
- F. Other Wastes - No other specific wastes may be discharged into the wastewater system, except by written permission of the General Manager or his designee.
- 4.2.2 Pre-Treatment - In the event that industrial wastes that are discharged into the sanitary sewer come under the Federal Categorical Standards, the industry must provide adequate pre-treatment so as not to exceed the limits set forth by the Federal Government.
- 4.2.3 Discharge Authority - Permission for the discharge of industrial waste into the wastewater system shall be granted by the District only when tests by the District show that the industrial wastewater has a chemical oxygen and suspended solids at an acceptable level for treatment and where no injurious acids, alkalis, dissolved gases or excess strength parameters are contained in the wastewater which would be detrimental to the operation of any wastewater treatment plant.
- 4.2.4 **Grease Control Requirements**

B.

A. Applicability and Prohibitions

- 1. Grease Control requirements shall apply to all non-domestic users of the District.
- 2. Grease traps or grease interceptors shall not be required for residential users.

- 3. Facilities generating fats, oils, or greases as a result of food manufacturing, processing, preparation, or food service shall install, use, and maintain appropriate grease traps or interceptors as required in Section 4.2.4B of these Service Policies. These facilities include but are not limited to restaurants, food manufacturers, food processors, hospitals, hotels and motels, prisons, nursing homes, and any other facility preparing, serving, or otherwise making any foodstuff available for consumption.
- 4. No user may intentionally or unintentionally allow the direct or indirect discharge of any petroleum oil, nonbiodegradable cutting oil, mineral oil, or any fats, oils, or greases of animal or vegetable origin into the District's system in such amounts as to cause interference with the collection and treatment system, or as to cause pollutants to pass through the treatment works into the environment.

B. **Installation and Maintenance Requirements**

1. Installations

- New Facilities. Food processing or food service facilities which are newly proposed or constructed, or existing facilities which will be expanded or renovated to include a food service facility, where such facility did not previously exist, shall be required to design, install, operate and maintain a grease trap/interceptor in accordance with locally adopted plumbing codes or other applicable ordinances. Grease traps/interceptors shall be installed and inspected prior to issuance of a certificate of occupancy.
- Existing Facilities. Existing grease traps/interceptors must be operated and maintained in accordance with the manufacturer's recommendations and in accordance with Section 4.2.4 of the District's Service Policies, unless specified in writing and approved by the District.
- All grease trap/interceptor waste shall be properly disposed of at a facility in accordance with federal, state, or local regulation.

2. Cleaning and Maintenance

- Grease traps and grease interceptors shall be maintained in an efficient operating condition at all times.
- Each grease trap pumped shall be fully evacuated unless the trap volume is greater than the tank capacity on the vacuum truck in which case the transporter shall arrange for additional transportation capacity so that the trap is fully evacuated within a 24-hour period, in accordance with 30 TEXAS ADMINISTRATIVE CODE §312.143.

3. Self-Cleaning

- Grease trap self-cleaning operators must receive approval from the District annually prior to removing grease from their own grease trap(s) located inside a building, provided:
 - a. the grease trap is no more than fifty (50) gallons in liquid/operating

- capacity;
- b. proper on-site material disposal methods are implemented (e.g. absorb liquids into solid form and dispose into trash);
- c. the local solid waste authority allows such practices;
- d. grease trap waste is placed in a leak proof, sealable container(s) located on the premises and in an area for the transporter to pumpout; and
- e. detailed records on these activities are maintained.
- Grease trap self-cleaning operators must submit a completed selfcleaning request to the District for approval. The written request shall include the following information:
 - a. Business name and street address:
 - b. Grease trap/interceptor operator name, title, and phone number;
 - c. Description of maintenance frequency, method of disposal, method of cleaning and size (in gallons) of the grease trap/interceptor; and
 - d. Signed statement that the operator will maintain records of waste disposal and produce them for compliance inspections.
- Self-cleaners must adhere to all the requirements; procedures and detailed record keeping outlines in their approved application, to ensure compliance with Grease Control Requirements. A maintenance log shall be kept by self-cleaning operators that indicates, at a minimum, the following information:
 - a. Date the grease trap/interceptor was serviced;
 - b. Name of the person or company servicing the grease trap/interceptor;
 - c. Waste disposal method used;
 - d. Gallons of grease removed and disposed of;
 - e. Waste oil added to grease trap/interceptor waste; and
 - f. Signature of the operator after each cleaning that certifies that all grease was removed, disposed of properly, grease trap/interceptor was thoroughly cleaned, and that all parts were replaced and in operable condition.
- Violations incurred by grease trap self-cleaners will be subject to enforcement action including fines and/or removal from the selfcleaner program.

4. Cleaning Schedules

 Grease traps and grease interceptors shall be cleaned as often as necessary to ensure that sediment and floating materials do not accumulate to impair the efficiency of the grease trap/interceptor; to ensure the discharge is in compliance with local discharge limits; and to ensure no visible grease is observed in discharge.

- Grease traps and grease interceptors subject to these standards shall be completely evacuated a minimum of every 30 days, or more frequently when:
 - a. Twenty-five (25) percent or more of the wetted height of the grease trap of grease interceptor, as measured from the bottom of the device to the invert of the outlet pipe, contains floating materials, sediment, oils or greases; or
 - b. The discharge exceeds BOD, COD, TSS, FOG, pH, or other pollutant levels established by the District; or
 - c. If there is a history of non-compliance.
- Any person who owns or operates a grease trap/interceptor may submit to the District a request in writing for an exception to the (30) day pumping frequency of their grease trap/interceptor. The District may grant an extension for required cleaning frequency on a case-by-case basis when:
 - a. The grease trap/interceptor owner/operator has demonstrated the specific trap/interceptor will produce an effluent, based on defensible analytical results, in consistent compliance with established local discharge limits such as BOD, TSS, FOG, or other parameters as determined by the District, or
 - b. Less than twenty-five (25) percent of the wetted height of the grease trap or grease interceptor, as measured from the bottom of the device to the invert of the outlet pipe, contains floating materials, sediment, oils or greases.
- In any event, a grease trap and grease interceptor shall be fully evacuated, cleaned, and inspected at least once every 180 days.

5. Manifest Requirements

- Each pump-out of a grease trap or interceptor must be accompanied by a manifest to be used for record keeping purposes.
- Persons who generate, collect and transport grease waste shall maintain a record of each individual collection and deposit. Such records shall be in the form of a manifest. The manifest shall include:
 - a. name, address, telephone, and commission registration number of transporters;
 - b. name, signature, address, and phone number of the person who generated the waste and the date collected;
 - c. type and amount(s) of waste collected or transported;
 - d. name and signature(s) of responsible person(s) collecting, transporting, and depositing the waste;

- e. date and place where the waste was deposited;
- f. identification (permit or site registration number, location, and operator) of the facility where the waste was deposited;
- g. name and signature of facility on-site representative acknowledging receipt of the waste and the amount of waste received; and
- h. the volume of the grease waste received; and
- i. a consecutive numerical tracking number to assist transporters, waste generators, and regulating authorities in tracking the volume of grease transported.
- Manifests shall be divided into five parts and records shall be maintained as follows: (See attachment "C")
 - a. One part of the manifest shall have the generator and transporter information completed and be given to the generator at the time of waste pickup.
 - b. The remaining four parts of the manifest shall have all required information completely filled out and signed by the appropriate party before distribution of the manifest.
 - c. One part of the manifest shall go to the receiving facility.
 - d. One part shall go to the transporter, who shall retain a copy of all manifests showing the collection and disposition of waste.
 - e. One copy of the manifest shall be returned by the transporter to the person who generated the wastes within 15 days after the waste is received at the disposal or processing facility.
 - f. One part of the manifest shall go to the local authority.
- Copies of manifests returned to the waste generator shall be retained for five years and be readily available for review by the District.

6. Alternative Treatment

- A person commits an offense if the person introduces, or causes, permits, or suffers the introduction of any surfactant, solvent or emulsifier into a grease trap. Surfactants, solvents, and emulsifiers are materials which allow the grease to pass from the trap into the collection system, and include but are not limited to enzymes, soap, diesel, kerosene, terpene, and other solvents.
- It is an affirmative defense to an enforcement of Section 4.2.4C.6.i. that the use of surfactants or soaps is incidental to normal kitchen hygiene operations.
- Bioremediation media may be used with the District approval if the person has proved to the satisfaction of the District that laboratory testing which is appropriate for the type of grease trap to be used has verified that:

- a. The media is a pure live bacterial product which is not inactivated by the use of domestic or commercial disinfectants and detergents, strong alkalis, acids, and/or water temperatures of 160F (71C).
- b. The use of the media does not reduce the buoyancy of the grease layer in the grease trap and does not increase the potential for oil and grease to be discharged to the sanitary sewer.
- c. The use of the bioremediation media does not cause foaming in the sanitary sewer.
- d. The BOD, COD, and TSS discharged to the sanitary sewer after use of the media does not exceed the BOD, COD, and TSS which would be discharged if the product were not being used and the grease trap was being properly maintained. PH levels must be between 5 and 11.
- All testing designed to satisfy the criteria set forth in Section 4.2.4C.6.iii. shall be scientifically sound and statistically valid. All tests to determine oil and grease, TSS, BOD, COD, pH, and other pollutant levels shall use appropriate tests which have been approved by the Environmental Protection Agency and the Texas commission on Environmental Quality and which are defined in the Title 40, Code of Federal Regulations, Part 136 or Title 30, TEXAS ADMINISTRATIVE CODE §319.11. Testing shall be open to inspection by the District, and shall meet the District's approval.

C. Schedule of Penalties

- 1. If the District determines that a generator is responsible for a blockage of a collection system line, the generator shall owe a civil penalty of \$1,000 for the first violation, \$1,500 for a second violation, and \$2,000 for the third violation within a two-year period. Continuous violations shall result in an increase in penalty by \$500 and may also result in termination of services.
- 2. Any person violating any of the provisions of the Grease Control Requirements shall be subject to a written warning for the first violation, a \$1,000 civil penalty for the second violation, a \$1,500 civil penalty for the third violation, and a \$2,000 civil penalty for the fourth violation within a two-year period. Consistent violations will result in a \$500 increase in civil penalty and may result in termination of service.

4.3 WASTEWATER COLLECTION SYSTEM CRITERIA

- **Service Area** The District will extend, under policies contained herein, its wastewater system for the purposes of providing wastewater service to areas inside the District's limits.
- **4.3.2 Extension Policy** A customer is required to connect if they are located within 500 feet of an existing manhole. If connection requires a private lift station, a waiver may be considered on a case-by-case basis as determined by the District Engineer.

A. Single Family

- The entire cost of the off-site gravity sewer, lift station, and/or pressure (force)
 main extension to a single- family unit shall be paid by the customer or
 developer.
- 2. The cost of any oversize as determined by the District Engineer shall be paid by the District.
- 3. The customer or developer will be responsible for the full cost of off-site extensions (boring, etc.), if such are required in extending the wastewater collection system.
- 4. The District's General Manager shall have the right to determine whether the off-site sewer main extension is (a) designed and constructed by the District, or (b) designed by the customer's or developer's independent engineer, subject to having the design approved by the District, and constructed by the customer's or developer's independent contractor, subject to having the work of the contractor inspected and approved by the District.
- 5. If the District's General Manager elects to have the District design and construct the off-site sewer main extension, the customer or developer shall pay this cost to District at such time as payment is requested by the District.
- 6. The customer or developer shall pay all applicable sewer tap fees and connection charges.

B. Multifamily – Apartment, Multifamily Dwellings and Motels

- 1. The entire cost of the off-site sewer extension (including over sizing, but subject to the oversizing policy as stated in Chapter 5) to apartments, multifamily dwellings, and motel units shall be paid by the developer.
- 2. The over sizing of any sewer main shall be determined by the District Engineer.
- 3. The customer or developer will be responsible for the full cost of off-site extension (boring etc.), if such are required to extend the wastewater collection system.
- 4. The District's General Manager shall have the right to determine whether the off-site sewer extension is (a) designed and constructed by the District, or (b) designed by customer's or developer's independent engineer, subject to having the design approved by the District, and constructed by the customer's or developer's independent contractor, subject to having the work of the contractor inspected and approved by the District.
- 5. If the District's General Manager elects to have the District design and construct the off-site sewer extension, the developer shall pay this cost to the District at such time as payment is requested by the District.
- 6. All lift stations and force mains shall be paid by the developer.
- 7. All borings and crossings laterals must be constructed or installed prior to

street construction.

8. The developer shall pay all applicable connection charges.

C. Single Family Subdivisions

- 1. All mains inside the subdivision are the responsibility of the Developer.
- 2. The entire cost of the off-site gravity sewer, lift station, and/or pressure (force) main extension (including over sizing, but subject to the oversizing policy as stated in chapter 5) to the subdivision shall be paid by the developer.
- 3 The customer or developer shall be responsible for the full cost of off-site extension (borings, etc.,), if such are required in extending a gravity or pressure main.
- 4. The over sizing of any wastewater main shall be determined by the District Engineer.
- 5. The District's General Manager shall have the right to determine whether the off-site sewer main extension is (a) designed and constructed by the District, or (b) designed by the developer's independent engineer, subject to having the design approved by the District, and constructed by the developer's independent contractor, subject to having the work of the contractor inspected and approved by the District.
- 6. If the District's General Manager elects to have the District construct the offsite sewer main extension, the developer shall pay this cost to the District at such time as payment is requested by the District.
- 7. All lifts stations and force mains shall be paid by the developer.
- 8. All borings and crossings and sewer laterals must be constructed or installed prior to street construction.
- 9. The developer shall pay all applicable connection charges.

D. Industrial and Commercial Customers or Developers

- 1. The entire cost of the off-site sewer main extension (including oversizing, but subject to the oversizing policy as stated in chapter 5) to industrial and commercial customers or developers shall be paid by the customer developer.
- 2. The over sizing of any sewer main shall be determined by the District Engineer.
- 3. The customer or developer will be responsible for the full cost of borings or trestle pipe crossings, if such are required in extending the sewerline.
- 4. The District's General Manager shall have the right to determine whether the off-site sewer main extension is (a) designed and constructed by the District, or (b) designed by the customer's or developer's independent engineer, subject to having the design approved by the District, and constructed by the customer's or developer's independent contractor, subject to having the work

of the contractor inspected and approved by the District.

- 5. If the District's General Manager elects to have the District design and construct the off-site sewer main extension, the customer or developer shall pay this cost to the District at such time as payment is requested by the District.
- 6. All lift stations and force mains shall be paid by the developer.
- 7. All borings, crossings and sewer laterals must be constructed or installed prior to street construction.
- 8. The customer or developer shall pay all applicable connection charges.


CHAPTER 5 - OVERSIZING POLICY

5.1 OVERSIZING POLICY

If the District requires the customer or developer to oversize a pipe to accommodate development on hand other than the property then owned by the customer or developer and (ii) the District's Engineer estimates that the incremental cost of increasing the size of the pipe not installation of the larger pipe, is less than \$15,000 (the amount of money that requires the District to solicit bids for proposed construction pursuant to Section 49.273 of the Texas Water Code), the District may choose to agree to reimburse the customer or developer an amount equal to the District Engineer's estimated incremental cost of increasing the size of the pipe, not to exceed \$15,000, and such payment will be made at the time the District approves the installation of the pipeline and accepts title to the pipeline.

APPENDIX

THIS PAGE LEFT INTENTIONALLY LEFT BLANK



Hydrant or Other
Public Water Outlet
Note: Fire Hydrant Meter will
not support backflow
assembly - RIGID SUPPORT
MUST BE PROVIDED

Figure C





Figure D

Backflow Prevention Method-Reduced Pressure Principle Assembly



(ATTACHMENT B)

Laguna Madre Water District Application for Liquid Wastewater Transportation Permit

1.	Name of Business:		
2.	Location of Business:		
3.	City:	State:	Zip:
4.	Mailing Address of Business:		
5.	City:	State:	Zip:
6.	Name of Owner:		
7.	Manager of Operation:		
8.	Manager's Driver License #	State:	
9.	Business Telephone(s)		
10.	24-hour Emergency Telephone:		
	Email Address:		
11.	Indicate all types of liquid waste transported: () chemica	al/portable toilet () septic tank	
12.	TCEQ #	Expiration Date: _	
	Please provide a copy of your Te	ation.)	
14.	Have a copy of approved wastew	vater dispose site TCEQ permit	-

FEES

- ~ For new Septic Transporters- Administration Fee \$30.00
- ~ Septage charge \$0.60 per gallon / minimum of 500 gals per disposal
- ~ Vehicle Permit(s) 1st \$250.00; Each additional Vehicle \$250.00
- ~ Lab testing \$110.00 per test/discharge, quarterly testing for yearly permit
- ~ Off Site liquids must pay Double the amount.
- 15. Within the five years preceding the date of this application, have you been convicted of a misdemeanor or felony that has been punishable by confinement and/or a fine exceeding \$500.00 and which directly relates to the duty responsibility in operating a liquid waste transportation business?

16.	Yes ()	No ()		
Explain i	f yes:			

- 17. **Designated Disposal sites:** Dispose sites can only be accessible by District personnel.
 - ~ No disposing of any liquid waste on weekends, after business hours, and holidays.
 - ~ Before disposal, transporter has to screen the liquid waste. (8 AM-4 PM)
 - ~ Transporter must call prior of any disposal. (956-943-2626)
- 18. Complete the attached "Driver's License List" on page 3 and "List of Vehicles Permitted show all information requested for each driver and vehicle to be permitted.
- 19. Total number of vehicles to be permitted today:
- 20. You must provide **COPIES** of the following documents:

Proof of Insurance on all vehicles used by your company Operation Manager's driver's license.

TCEQ Sludge Transporter Registration issued to your company for transportation of liquid waste.

Name of Business:		

#	Permit Number	Vehicle Year	Make Model	Unit Number	Gallons	License Plate #	VIN

Driver License List

Name of Business:							
(Please list all vehicle drivers' information below)							
Drivers Name License Number State Expiration							
	Disposal sites						
	_						

Transporter can only dispose on approve sites.

21. **CERTIFICATION STATEMENT:** This application is to be signed by Owner of the business Officer of a corporation, or Action Agent for the business, after adequate completion of this and review by the person signing below, assuming all responsivities.

"I have viewed and accepted all information submitted in this application to be true, accurate complete. I consent to accept and to abide by all applicable policies and regulations of the District. I understand that falsification of any information submitted shall be cause for termination of the liquid waste transport permit. I acknowledge that this permit authorized the transport of only those liquid wastes listed in item 11 and

I understand that no hazardous or industrial waste is to be transported or mixed with liquid waste hauled under this permit. Any person willfully or negligently violating

this PERMIT conditions are subject to a fine of two thousand Dollars (\$2000.00) for each offense. Each day that a violation is permitted to exist shall constitute a separate offense.

FURTHERMORE, THE DISTRICT MAY ISSUE NOTICE OF VIOLATION,

REVOKE THIS PERMIT, AND INITIATE LEGAL ACTIONS TO ENFORCE THE POLICIES AND PERMIT CONDITIONS.

the District may invoice the PERMITTEE for costs incurred for any cleaning, repairs, or replaced work caused by a violation or discharge, and in the event, PERMITTEE fails to make payment such invoice, the District may suspend Liquid Waste Transporter's permit "I understand that the permit is valid for (1) one year and must be renewed on and annual basis to maintain a valid permit."

(ATTACHMENT C)

LAGUNA MADRE WATER DISTRICT

105 Port Road Port Isabel, TX. 78578 (956)943-2626

LIQUID WASTE TRIP TICKET

	Ger	erator Info	ormation		
Name:			Address:		
City:		State	_	Zip code:	
Phone No.			_	_	
Indicate the waste type (must	check one)				
() C	hemical toilet / Portable toilet		() Septic tank / Sev	wer holding tank	
() F	ood Service Grease Interceptor	(or Trap)			
() 0	Other - Specify source and Type	of Waste			
Gallons Removed			_ Date R	emoved:	
I certify that the waste material re	emoved from the above premises of	ontains no haz	ardous materials.		
Printed Name:			_ Signature:		
	Tran	sporter Inf	ormation		
Business Name: TCEQ Registration Number				Phone No.	_
Address:		State:		_ Zip code:	
Gals Transported	Waste dis	— posal site nan	ne:		
Permit / Reg. #	_				
I certify that the information pr	rovided above is correct, and th	at only the w	aste certified for		
removal by the generator is co	ntained in the servicing vehicle.	I am aware t	hat falsification of		
this trip ticket may result in rev	ocation of my waste transport	ation permit.	Criminal		
prosecution, and/or civil penalt	ties.				
Drivers Name:			Signature		
	Please print				
Date & time waste transported	l				
		Disposal	Sita .		
Business Name:		Disposal	Site		
Disposal Facility Registration or	r Parmit no				
Address:	remit no.		Phone no.		
I certify that I have been autho	rized by the Toyas Commission	of Environmo	_		
accept the above specified was	•		•		
the requirements outlined in the	•	ile waste ili a	ccordance with		
the requirements outlined in th	iat authorization.				
Site Operator Name					
Signature			Date/time	_	
Amount gals Received:			_		
Original: Transporter	Vellow: Generator		Pink: Disposal Site	_	Gold: LMWD